



Shenzhen Office :

3-A1,Building A,Qingchuangcheng,Pinkexiao zhen,Zhangkeng community,
Minzhi Town,Longhua District,Shenzhen,Guangdong Province,China
Tel: 86.755.8886.8949

China Factory :

No.28 Binjiang Blvd., Shishuikou Village,Qiaotou Town,Dongguan,Guang Dong Province
Tel: 86.769.8929.7777

Vietnam Factory :

P-9, Trang Due Industrial Zone Belongs To Dinh Vu - Cat Hai Economic Zone, An Hoa
Commune,An Duong District, Hai Phong City
Tel: 84.225.3558.880

Web: www.power7tech.com

Power Products





Dongguan Factory



Vietnam Factory

— COMPANY PROFILE

Power 7 Technology specializes in the innovative design and manufacturing of complex external storage solutions, mobile power devices, and peripheral solutions that are compatible with variety of computer and mobile iOS platforms. Our dedication to excellence in technology, innovation, design, quality, and customer service has led to our reputation on a global scale. We have over 30 years of OEM/ODM and Electronics Manufacturing Services (EMS) experience. As a trusted supplier and manufacturer, we created long-term partnerships with several world-class and local businesses that rely on our knowledge, expertise, and services.

— COMPANY VISION

To design, manufacture, and deliver excellent products and solutions to our customers in a timely and superior manner. Accept projects that are within our skills, knowledge, expertise and focus on the ones in which we excel in to become the partner of choice.

— COMPANY PHILOSOPHY

Competitive Advantage: Competitive advantages are established through significant investments in research and development. Three principles guide our engineering and production practices: QUALITY, QUALITY, and QUALITY. Quality serves as our strongest competitive advantage.

Creative Innovation: Knowledge, experience, and imagination work together to foster creativity in the development of featured products.

Accountability Commitment: Providing steadfast support for our products and services is at the core of our meticulous approach.



A11-30W with Power Bank

- GaN(Gallium nitride) technology inside
- Input: AC 100-240V
USB-C1: 5V/3A, 9V/3A,15V/2A
- Output: AC Mode: USB-C1: PD 30W,
5V/3A, 9V/3A,15V/2A/20V/1.5A
USB-C2: PD 30W
Power bank Mode: USB-C1: PD 30W,
5V/3A, 9V/3A,15V/2A/20V/1.5A
USB-C2: PD 30W
- Case material: Plastic
- Dimension: 112mm X54mm X31mm





C26 Magnetic Wireless Power Bank

- Battery Capacity: 10,000mAh, Li-Polymer
- Number of Battery Cell: 2
- Input: USB-C: PD 18W
- Output: USB-C: PD 20W
USB-A: QC 18W
Magnetic Wireless: 5W, 7.5W, 15W
iWatch Wireless: 5W
Total 20W Maximum Output
- Material: Plastic
- Dimensions: 107mm X 68mm X 23.5mm





A05 20W Wall Charger

- Input: AC 100V-220V, 50/60Hz
- Output: USB-C: 5V/3A, 9V/2.22A, 12V/1.66A
Supports PPS
Total 20W Maximum Output
- Material: Plastic
- Dimensions: 30mm X 30mm X 31mm

A09 30W Wall Charger

- Input: AC 100V-220V, 50/60Hz
- Output: USB-C: 5V/3A, 9V/3A, 15V/2A, 20V/1.5A
Supports PPS
Total 30W Maximum Output
- Material: Plastic
- Dimensions: 30mm X 30mm X 31mm



A17

- AC Input: 100-240V- 50-60Hz, 2A
- USB-C port/cable input: 5V/3A, 9V/3A, 15V/2A
- Output: Charger mode & Battery mode
- USB-C port/USB-C cable: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A
- Total output: 5V/3A



B02

- Battery Capacity: 10,000mAh, 21700 5000mAh*2
- Input: USB-C 5V3A/9V3A/12V2.5A
- Output: USB-A: 5V/3A, 9V/2A, 12V/1.5A
USB-C: 5V/3A, 9V/3A,
12V/2.5A, 15V/2A
- Total: USB-A+USB-C shared 5V4.8A
- Dimension: 82mm X61mm X26mm



B12 PD30W

- Battery Capacity: 10,000mAh, 21700 5000mAh*2
- Input: USB-C1 PD 20W
USB-Cable PD 20W
- Output: USB-C: PD 30W Max
USB-Cable: PD 30W Max
Both USB-Cable & USB-C: Share 5V/3A
- Case material: Plastic
- Dimension: 82.4mm X60.28mm X25mm



B05B

- Battery Capacity: 21700, 5000mAh*1
- Input: USBC 5V/3A, 9V/2.2A, 12V/1.6A
- Output: USBC 5V/3A, 9V/2.2A, 12V/1.6A
USB-A 5V/3A, 9V/2A, 12V/1.5A
- Total: USBA+USBC shared 5V/3A
- Dimension: 78mm X58mm X25mm



B13 PD20W

- Battery Capacity: 5,000mAh, 21700 5000mAh*1
- Input: USB-C PD 20W
- Output: USB-C: PD 20W Max
USB-A: QC 18W Max
Both USB-A & USB-C: 5V/3A
- Case material: Plastic
- Dimension: 78mm X39mm X25mm



B15

- Battery Capacity: 21700 5000mAh*5
- Input: USB-C2 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A
- Output: USB-C1 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A, 28V/5A
USB-C2 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A
USB-A 5V/3A, 9V/2A, 12V/1.5A
- Total Output: 150W Max
- Dimension: 160mm X81mm X26.5mm



B16

- Battery Capacity: 136079 10000mAh*1
- Input: USB-C 5V3A/9V2.22A
- Output: USB-C: 5V/3A, 9V/2.22A, 12V/1.67A, 10V/2.25A
USB-A: 5V/3A, 9V/2A, 12V/1.5A
- Total: USBA+USBC shared 5V/3A
- Dimension: 116.3mm X68.4mm X17.6mm





B03 PD20W

- Battery Capacity: 5,000mAh, 21700 5000mAh*1
- Input: USB-C PD 20W
- Output: USB-C: PD 20W Max
USB-A: QC 18W Max
Both USB-A & USB-C: 5V/3A
- Case material: Plastic
- Dimension: 78mm X 39mm X 25mm

B06 Power Bank

- Battery Capacity: 20,000mAh, 21700 5,000mAh*4
- Input: USB-C: 5V/2A, 9V/3A, 15V/2A
- Output: USB-C: 5V/3A, 9V/3A, 15V/3A
USB-A: 5V/3A, 9V/2A, 12V/1.5A
Both in use: USB-C 45W and USB-A:15W
Total 60W Maximum Output
- Material: Plastic
- Dimensions: 149mm X 58mm X 25mm



C06 Wireless Charger

- Input: USB-C PD 18W
- Output: Wireless: 5W, 7.5W, 10W
Total 15W Maximum Output
- Material: Plastic and PU
- Dimensions: 90mm X 7.3mm

C30 Magnetic Wireless Car Mount

- Input: USB-C: PD 20W
- Output: Wireless: 5W, 7.5W, 10W
Total 15W Maximum Output
- Material: Plastic and PU
- Dimensions: 84mm X 64mm X 10mm (Body Only)



C17

- Input: 5V/2A 9V/3A 15/2A
- Output: 5W, 7.5W, 15W, 25W



C25

- Remark: Magnetic Wireless Charger with PB
- Battery Capacity: 5,000mAh
 - Support MPP 15W
 - C25 without stand
 - C25L with Stand
- Input: PB mode: USB-C: PD 5V/2A
- Pass-through mode: USB-C PD 20W
- Output: PB mode: USB-C: PD 20W
- Wireless: BPP 5W, Apple 7.5W, MPP 15W
- Case material: Plastic
- Dimension: 69mm X103mm X12.5mm



S42CC- 45W

- Remark: US, JP, EU, UK Plug Available
- Input: AC 100V-240V,50/60Hz, 1A
- Output: Type-C1: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A
Type-C2: 5V/3A, 9V/2A, 12V/3A, 15V/3A, 20V/2.25A
Share: Type-C1 PD30W+Type-C2 12W
- Material & Finish: Plastic, Texture
- Dimension: 14.5*43.5*76 mm



S03C - 65W

- Remark: US, JP, EU, UK Plug Available
- Input: AC 100V-240V,50/60Hz, 1.3A
- Output: Type-C1: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A
PPS:5V-20V/3A
- Material & Finish: Plastic, Texture
- Dimension: 34*37.5*64.5 mm(Not include Plug)



S03CA - 65W

- Remark: US, JP, EU, UK Plug Available
- Input: AC 100V-240V,50/60Hz, 1.3A
- Output: Type-C1: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A
USB-A1: 5V/3A, 9V/2A, 12V/2.25A, 20V1.35A
Share: Type-C1 PD45W+ USB-A 12W
- Material & Finish: Plastic, Texture
- Dimension: 34*37.5*64.5 mm(Not include Plug)



S03CC - 65W

- Remark: US, JP, EU, UK Plug Available
- Input: AC 100V-240V,50/60Hz, 1.3A
- Output: Type-C1: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A
Type-C2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A
Share: Type-C1 PD45W+Type-C2 12W
- Material & Finish: Plastic, Texture
- Dimension: 34*37.5*64.5 mm(Not include Plug)



S03CCA - 65W

- Remark: US, JP, EU, UK Plug Available
- Input: AC 100V-240V,50/60Hz, 1.3A
- Output: Type-C1: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A
Type-C2: 5V/3A, 9V/3A, 12V/2.25A, 20V/1.35A
USB-A: 5V/3A, 9V/3A, 12V/2.25A, 20V/1.35A
Share: Type-C1 PD45W+(Type-C2+USB-A) 12W
- Material & Finish: Plastic, Texture
- Dimension: 34*37.5*64.5 mm(Not include Plug)



S04CCA - 65W

- Remark: US, JP, EU, UK Plug Available
- Input: AC 100V-240V,50/60Hz, 1.3A
- Output: Type-C1: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A
Type-C2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A
Share: Type-C1 PD45W+Type-C2 12W
- Material & Finish: Plastic, Texture
- Dimension: 34*37.5*71.6 mm(Not include Plug)





T01 - 100W

- Remark: Modified Sine Wave for AC output 110V/220V available Capacity: 27000mAh 6*4500mAh
- Input: USB-C: 5V/3A,9V/3A,12V/3A,15V/3A,20V/3A
- Output: USB-C: 5V/3A,9V/3A,12V/3A,15V/3A,20V/3A
USB-A: SCP10V/2.25A,5V/3A,9V/2.0A,12V/1.5A
AC: 220V±3% 50Hz or 110V±3% 60Hz 100W
- Material & Finish: Plastic, Texture
- Dimension: 193*62*85mm/ About 1KG

T02 - 200W

- Remark: Modified Sine Wave for AC output 110V/220V available Capacity: 54000mAh 12*4500mAh
- Input: USB-C: 5V/3A,9V/3A,12V/3A,15V/3A,20V/3A
- Output: USB-C: 5V/3A,9V/3A,12V/3A,15V/3A,20V/3A
USB-A: SCP10V/2.25A,5V/3A,9V/2.0A,12V/1.5A
AC: 220V±3% 50Hz or 110V±3% 60Hz 200W
- Material & Finish: Plastic, Texture
- Dimension: 217*83*90mm/ About 1.8KG



S02 - 65W

- Input: AC 100V-240V,50/60Hz
- Output: USB-C1: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A
USB-C2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A
USB-A: 5V/3A, 9V/2A, 12V/1.5A
Share: USB-C1 PD45W+(USB-C2+USB-A) 15W
- Material: Plastic, Texture
- Remark: US, JP, EU, UK Plug Available





S30- 30W

- Input: AC 100V-240V,50/60Hz
- Output: USB-C1: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A
USB-C2: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A Share: USB-C1+USB-C2 5V/3A
- Material: Plastic, Texture
- Remark: US, JP, EU, UK Plug Available

S40 - 45W

- Input: AC 100V-240V,50/60Hz
- Output: USB-C1: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A
USB-C2: 5V/3A, 9V/2A, 12V/3A, 15V/3A, 20V/2.25A
Share: USB-C1 25W+USB-C2 20W
- Material: Plastic, Texture
- Remark: US, JP, EU, UK Plug Available



S60 - 65W

- Input: AC 100V-240V,50/60Hz
- Output: USB-C1: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A
USB-C2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A
Share: USB-C1 45W+ USB-C2 20W
- Material: Plastic, Texture
- Remark: US, JP, EU, UK Plug Available



S61 - 65W

- Input: AC 100V~240V,50/60Hz
- Output: USB-C Cable: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A
USB-C2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A
Share: USB-C Cable 45W+USB-C2 20W
- Material: Plastic, Texture
- Dimension: 60mm X61.85mm X30mm
- Remark: US, JP, EU, UK Plug Available



S41 - 45W

- Input: AC 100V~240V,50/60Hz
- Output: USB-C Cable: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A
USB-C2: 5V/3A, 9V/2A, 12V/3A, 15V/3A, 20V/2.25A
Share: USB-C Cable 30W+USB-C2 10W
- Material: Plastic, Texture
- Dimension: 51mm X61mm X30mm
- Remark: US, JP, EU, UK Plug Available



S31- 35W

- Input: AC 100V~240V,50/60Hz
- Output: USB-C Cable: 5V/3A, 9V/3A, 12V/2.9A, 15V/2.3A, 20V/1.75A 35W Max
USB-C2: 5V/3A, 9V/3A, 12V/2.9A, 15V/2.3A, 20V/1.75A 35W Max
Share: USB-C Cable + USB-C2 5V/3A
- Material: Plastic, Texture
- Remark: US, JP, EU, UK Plug Available



S33- 35W

- Input: AC 100V-240V,50/60Hz
- Output: USB-C: 5V/3A, 9V/3A, 12V/2.9A, 15V/2.3A, 20V/1.75A
USB-A: 5V/3A, 9V/3A, 12V/2.5A
Share: USB-C+USB-A 5V/3A 15W
- Material: Plastic, Texture
- Remark: US, JP, EU, UK Plug Available

S43 - 45W

- Input: AC 100V-240V,50/60Hz
- Output: USB-C1: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A
USB-C2: 5V/3A, 9V/2A, 12V/3A, 15V/3A, 20V/2.25A
Share: USB-C Cable 20W+USB-C2 20W
- Material: Plastic, Texture
- Remark: US, JP, EU, UK Plug Available



S63 - 65W

- Input: AC 100V-240V,50/60Hz
- Output: USB-C1: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A
USB-C2: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A
USB-A: 5V/3A, 9V/2A, 12V/2.5A, 20V/1.5A
Share: USB-C1 PD45W+(USB-C2+USB-A)15W
- Material: Plastic, Texture
- Remark: US, JP, EU, UK Plug Available





S34- 35W

- Input: AC 100V-240V,50/60Hz
- Output: USB-C: 5V/3A, 9V/3A, 12V/2.9A, 15V/2.3A, 20V/1.75A 35W Max
USB-A: 5V/3A, 9V/2A, 12V/1.5A
Share: USB-C+USB-A 5V/3A
- Material: Plastic, Texture
- Remark: US, JP, EU, UK Plug Available



S44 - 45W

- Input: AC 100V-240V,50/60Hz
- Output: USB-C1: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A
USB-C2: 5V/3A, 9V/2A, 12V/3A, 15V/3A, 20V/2.25A
Share: USB-C Cable 20W+USB-C2 20W
- Material: Plastic, Texture
- Remark: US, JP, EU, UK Plug Available



S64 - 65W

- Input: AC 100V-240V,50/60Hz
- Output: USB-C1: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A
USB-C2: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A
Share: USB-C1 45W+USB-C2 20W
- Material: Plastic, Texture
- Remark: US, JP, EU, UK Plug Available

S01 - 65W

- Input: AC 100V-240V,50/60Hz
- Output: USB-C Cablet: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A
USB-C2t: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A
USB-At: 5V/3A, 9V/2A, 12V/1.5A
Share: USB-C Cable PD45W
+(USB-C2+ USB-A) 15W
- Material: Plastic, Texture
- Remark: Changeable Pug Design



S80

- Input: AC 100V-240V,50/60Hz
- Output: USB-C1: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A
 USB-C2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A
 USB-C3: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A
 USB-A1: 5V/3A, 9V/2A, 12V/1.5A
 Share: C1+C2+C3+A1: 45W+35W+7.5W+7.5W
 AC Sockets: 10A/110V/1100W
- Material: Plastic, Texture
- Dimension: 93mm X93mm X28.1mm (Not include cable)
- Remark: US, JP, EU, UK Plug Available



S81

- Input: AC 100V-240V,50/60Hz
- Output: USB-C cable: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A
 USB-C2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A
 USB-C3: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A
 USB-A1: 5V/3A, 9V/2A, 12V/1.5A
 Share: C1+C2+C3+A1: 45W+35W+7.5W+7.5W
- Material: Plastic, Texture
- Dimension: 93mm X93mm X28.1mm (Not include cable)
- Remark: US, JP, EU, UK Plug Available



W01

- Input: USB-C: 9V/3A,12V/3A
- Output: Wireless: 5W/7.5W/10W/15W/25W
- Material: Plastic
- Dimension: 64mm X 49mm
- Remark: Qi 2.2 25W



W03

- Input: USB-C: 9V/2
- Output: Wireless: 5W/7.5W/10W/15W
- Material: AL + Glass
- Remark: No Qi Certification
- Dimension: 87mm X 60mm X6.5mm



W02

- Input: USB-C: 9V/2
- Output: Wireless: 5W/7.5W/10W/15W
- Material: AL + Glass
- Remark: No Qi Certification
- Dimension: 64.1mm X 99mm X25.7mm

