



Shenzhen Office :

3-A1,Building A,Qingchuangcheng,Pinkexiao zhen,Zhangkeng community,
Minzhi Town,Longhua District,Shenzhen,Guangdong Province,China
Tel: 86.755.8886.8949

China Factory :

No.28 Binjiang Blvd., Shishuikou Village,Qiaotou Town,Dongguan,Guang Dong Province
Tel: 86.769.8929.7777

Vietnam Factory :

P-9, Trang Due Industrial Zone Belongs To Dinh Vu - Cat Hai Economic Zone, An Hoa
Commune,An Duong District, Hai Phong City
Tel: 84.225.3558.880

Web: www.power7tech.com

Power Products





Dongguan Factory



Vietnam Factory

– COMPANY PROFILE

Power 7 Technology specializes in the innovative design and manufacturing of complex external storage solutions, mobile power devices, and peripheral solutions that are compatible with variety of computer and mobile iOS platforms. Our dedication to excellence in technology, innovation, design, quality, and customer service has led to our reputation on a global scale. We have over 30 years of OEM/ODM and Electronics Manufacturing Services (EMS) experience. As a trusted supplier and manufacturer, we created long-term partnerships with several world-class and local businesses that rely on our knowledge, expertise, and services.

– COMPANY VISION

To design, manufacture, and deliver excellent products and solutions to our customers in a timely and superior manner. Accept projects that are within our skills, knowledge, expertise and focus on the ones in which we excel in to become the partner of choice.

– COMPANY PHILOSOPHY

Competitive Advantage: Competitive advantages are established through significant investments in research and development. Three principles guide our engineering and production practices: QUALITY, QUALITY, and QUALITY. Quality serves as our strongest competitive advantage.


Creative Innovation: Knowledge, experience, and imagination work together to foster creativity in the development of featured products.

Accountability Commitment: Providing steadfast support for our products and services is at the core of our meticulous approach.



A12 60W GaN Wall Charger

- Gallium Nitride Technology (GaN)
- Folding US AC Plug
- Input: AC 100V-220V, 50/60Hz, Folding US Plug
- Output: USB-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3A
Total 60W Maximum Output
- Material: Plastic
- Dimensions: 87mm X 42mm X 12.5mm



A05F 30W AC Wall Charger

- Input: AC 100V-220V, 50/60Hz, Folding US AC Plug
- Output: USB-C: 5V/3A, 9V/3A, 15/2A, 20V/1.5A
Supports PPS
- Material: Plastic
- Dimensions: 30.5mm X 30.5mm X 39mm



A05 20W AC Wall Charger

- Input: AC 100V-220V, 50/60Hz, Fixed US AC Plug
- Output: USB-C: PD 20W
Supports PPS
- Material: Plastic
- Dimensions: 30mm X 30mm X 31mm



A05B 30W AC Wall Charger

- Input: AC 100V-220V, 50/60Hz, Fixed US AC Plug
- Output: USB-C: 5V/3A, 9V/3A, 15/2A, 20V/1.5A
Supports PPS
- Material: Plastic
- Dimensions: 30.5mm X 30.5mm X 31mm



A03 100W Wall Charger

- Gallium Nitride Technology (GaN)
- Folding US AC Plug
- Input: AC 100V-220V, 50/60Hz
- Output: USB-C1: PD 100W
USB-C2: PD 100W
USB-A: QC 18W
Total 100W Maximum Output
- Material: Plastic
- Dimensions: 70mm X 70mm X 33mm

A02 65W Wall Charger

- Gallium Nitride Technology (GaN)
- Folding US AC Plug
- Input: AC 100V-220V, 50/60Hz
- Output: USB-C: 5V/3A, 9V/3A, 15V/3A, 20V/3.25A
USB-A: 5V/2A, 9V/2A, 12V/1.5A
USB-C and USB-A Shared 5V/3A
Total 65W Maximum Output
- Material: Plastic
- Dimensions: 53mm X 53mm X 30mm



A01 65W Wall Charger

- Gallium Nitride Technology (GaN)
- Folding US AC Plug
- Input: AC 100V-220V, 50/60Hz, 1.5A
- Output: USB-C: 5V/3A, 9V/3A, 12V/3A,
15V/3A, 20V/3.25A
- Material: Plastic
- Dimensions: 50mm X 50mm X 30mm





A11 30W 10,000mAh Power Bank with Folding US AC Plug

- Gallium Nitride Technology (GaN)
- Battery Capacity/Type: 10,000mAh, 21700
- Number of Battery Cell: 2
- Input: AC 100V-240V, 50/60Hz
- Output: AC Mode:
 - USB-C1: PD 30W
 - USB-C2: PD 30WPower bank Mode:
 - USB-C1: PD 30W
 - USB-C2: PD 30W
- Material: Plastic
- Dimensions: 112mm X 54mm X 32mm



A07 60W 10,000mAh Power Bank with Folding US AC Plug

- Gallium Nitride Technology (GaN)
- Battery Capacity/Type: 10,000mAh, 21700
- Number of Battery Cell: 2
- Input: AC 100V-240V, 50/60Hz; USB-C: 5V/3A, 9V/2A
- Output: AC Mode:
 - USB-C: PD 60W
 - USB-A: QC 18WPower bank Mode:
 - USB-C: PD 30W
 - USB-A: QC 18W
- Material: Plastic
- Dimensions: 132mm X 56mm X 32mm



A17 60W 10,000mAh Power Bank with Folding US AC Plug

- Gallium Nitride Technology (GaN)
- Battery Capacity/Type: 10,000mAh, 21700
- Number of Battery Cell: 2
- Input: AC 100V-240V, 50/60Hz
- Output: AC Mode:
 - USB-C: PD 30WPower bank Mode:
 - USB-C1/C2: PD 65W
 - USB-A: QC 18WPower bank Mode:
 - USB-C1: PD 45W
 - USB-C2: PD 45W
 - USB-A: QC 18W
- Material: Plastic
- Dimensions: 113mm X 62.5mm X 32mm



B02 PD30W 10,000mAh Power Bank

- Battery Capacity/Type: 10,000mAh, 21700
- Number of Battery Cell: 2
- Input: USB-C: 5V/3A, 9V/3A, 12V/2.5A
- Output: USB-C: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A
USB-A: 5V/3A, 9V/2A, 12V/1.5A
- Material: Plastic
- Dimensions: 82mm X 61mm X 26mm



B12 PD 30W 10,000mAh Power Bank

- Battery Capacity/Type: 10,000mAh, 21700
- Number of Battery Cell: 2
- Input: USB-C: PD 20W Max
Built-in USB-C Cable: PD 20W Max
- Output: USB-C: PD 30W Max
Built-in USB-C Cable: PD 30W Max
Both USB-C and Built-in USB-C Cable: Shared 5V/3A
- Material: Plastic
- Dimensions: 82.4mm X 60.3mm X 25mm





B01 PD 30W 10,000mAh Power Bank

- Battery Capacity/Type: 10,000mAh, 21700
- Number of Battery Cell: 2
- Input: USB-C: PD 20W Max
- Output: USB-C: PD 30W Max
USB-A: QC 18W Max
Both USB-A: PD 18W Max and USB-C: 12W Max
- Material: Plastic
- Dimensions: 82.4mm X 60.3mm X 25mm

B05 PD 20W 10,000mAh Power Bank

- Battery Capacity/Type: 10,000mAh, 21700
- Number of Battery Cell: 1
- Input: USB-C: PD 20W Max
- Output: USB-C: PD 20W Max
USB-A: QC 18W Max
Both USB-A and USB-C: 5V/3.6A
- Material: Plastic
- Dimensions: 78mm X 58mm X 25mm



B13 PD 20W 5,000mAh Power Bank

- Battery Capacity/Type: 5,000mAh, 21700
- Number of Battery Cell: 1
- Input: USB-C: PD 20W Max
- Output: USB-C: PD 20W Max
USB-A: QC 18W Max
Both USB-A and USB-C: 5V/3A
- Material: Plastic
- Dimensions: 78mm X 39mm X 25mm



B15 140W 25,000mAh Power Bank

- Battery Capacity/Type: 25,000mAh, 21700
- Number of Battery Cell: 6
- Input: USB-C1: PD 65W Max
- Output: USB-C1: PD 65W Max
USB-C2: PD 140W Max
USB-A: QC 18W
- Material: Plastic
- Dimensions: 160mm X 81mm X 26.5mm



B16 PD 20W 10,000mAh Power Bank

- Battery Capacity/Type: 10,000mAh Li-Poly
- Number of Battery Cell: 1
- Input: USB-C: PD 20W Max
- Output: USB-C: PD 65W Max
USB-A: QC 18W Max
Both USB-C and USB-A: 5V/3A
- Material: Plastic
- Dimensions: 116.5mm X 68.5mm X 17.5mm



B17 PD 100W 20,000mAh Power Bank

- Battery Capacity/Type: 20,000mAh, 21700
- Number of Battery Cell: 4
- Input: USB-C: PD 65W Max
- Output: USB-C1: PD 30W Max
USB-C2: PD 100W Max
USB-A: QC 18W Max
- Material: Plastic
- Dimensions: 140mm X 81mm X 26.5mm



B11 PD 30W 20,000mAh Power Bank

- Battery Capacity/Type: 20,000mAh, Li-Poly
- Number of Battery Cell: 2
- Input: USB-C: PD 30W Max
- Output: USB-C1: PD 30W Max
USB-C2: 5V/3A Max
USB-A1: QC 18W Max
USB-A2: QC 18W Max
Total 5V/6A Shared Maximum Output
- Material: Plastic
- Dimensions: 188.3mm X 88.8mm X 25mm



B10 PD 20W 10,400mAh Power Bank

- Battery Capacity/Type: 10,400mAh, 18650
- Number of Battery Cell: 4
- Input: USB-C: PD 20W Max
- Output: USB-C: PD 30W Max
USB-A1: QC 18W Max
USB-A2: QC 18W Max
Total 5V/3.1A Maximum Output
- Material: Plastic
- Dimensions: 115mm X 88.5mm X 25mm



B06 PD 30W 20,000mAh Power Bank

- Battery Capacity/Type: 20,000mAh, 21700
- Number of Battery Cell: 4
- Input: USB-C: PD 30W Max
- Output: USB-C: PD 30W Max
USB-A: QC 18W Max
Both USB-A and USB-C: 5V/3.6A
- Material: Plastic
- Dimensions: 149mm X 58mm X 25mm



B03 PD 20W 5,000mAh Power Bank

- Battery Capacity/Type: 5,000mAh, 21700
- Number of Battery Cell: 1
- Input: USB-C: PD 20W Max
- Output: USB-C: PD 20W Max
USB-A: QC 18W Max
Both USB-A and USB-C: 5V/3A
- Material: Plastic
- Dimensions: 78mm X 39mm X 25mm





C26 10,000mAh Magnetic Wireless Power Bank

- Battery Capacity: 10,000mAh, Li-Polymer
- Number of Battery Cell: 2
- Input: USB-C: PD 18W
- Output: USB-C: PD 20W
USB-A: QC 18W
Magnetic Wireless: 5W, 7.5W, 15W
iWatch Wireless: 5W
Total 20W Maximum Output
- Material: Plastic
- Dimensions: 107mm X 68mm X 23.5mm



C27 10,000mAh Magnetic Wireless Power Bank

- Battery Capacity/Type: 10,000mAh, Li-Polymer
- Number of Battery Cell: 1
- Input: USB-C: PD 20W
- Output: USB-C: PD 20W
Magnetic Wireless: 5W, 7.5W, 15W
Supports Qi 2.0
Total 20W Maximum Output
- Material: Plastic
- Dimensions: 104mm X 70.6mm X 15mm



C16 Magnetic Wireless Charger

- Supports Qi 2.0 15W
- Input: USB-C: PD 20W, 1m Built-in Cable
- Output: Magnetic Wireless: 5W, 7.5W, 10W, 15W
- Material: Plastic and Aluminum
- Dimensions: 59.5mm X 7.5mm



C17 Magnetic Wireless Charger

- Supports Qi 2.2 25W
- Input: USB-C: PD 35W, 1m Built-in Cable
- Output: Magnetic Wireless: 5W, 7.5W, 10W, 15W, 25W
- Material: Plastic and Aluminum
- Dimensions: 59.5mm X 7.5mm



C21B 5,000mAh Magnetic Wireless Power Bank

- Battery Capacity/Type: 5,000mAh, Li-Polymer
- Number of Battery Cell: 1
- Input: USB-C: 5V/2A
- Output: USB-C: 5V/2A
Magnetic Wireless: 5W, 7.5W
Total 10W Maximum Output
- Material: Plastic
- Dimensions: 93mm X 62.5mm X 15.8mm



C25 5000mAh Magnetic Wireless Power Bank

- Battery Capacity/Type: 5,000mAh, Li-Polymer
- Number of Battery Cell: 1
- Input: USB-C: PD 20W
- Output: USB-C: PD 20W
Magnetic Wireless: 5W, 7.5W, 15W
Total 20W Maximum Output
- Material: Plastic
- Dimensions: 103mm X 69mm X 12mm



C23 5,000mAh Magnetic Wireless Power Bank

- Battery Capacity/Type: 5,000mAh, Li-Polymer
- Number of Battery Cell: 1
- Input: USB-C: 5V/2A
- Output: USB-C: 5V/2A
Magnetic Wireless: 5W, 7.5W
Total 10W Maximum Output
- Material: Plastic
- Dimensions: 93mm X 62.5mm X 15.8mm



C08 Magnetic Wireless Charger

- Supports Qi 2.0 15W
- Input: USB-C: PD 20W, 1m Built-in Cable
- Output: Magnetic Wireless: 5W, 7.5W, 10W, 15W
- Material: Plastic and Aluminum
- Dimensions: 58.8mm X 8.8mm



C06 Wireless Charging Pad

- Input: USB-C: PD 20W
- Output: Wireless: 5W, 7.5W, 10W
Total 15W Maximum Output
- Material: Plastic and PU
- Dimensions: 90mm X 7.3mm

C30 Vent Mount Wireless Charging Pad

- Input: USB-C: PD 20W
- Output: Wireless: 5W, 7.5W, 10W
Total 15W Maximum
- Material: Plastic and PU
- Dimensions: 84mm X 64mm X 10mm (Body Only)



C551 3-in-1 Folding Wireless Charging Stand

- Input: DC 9V/3A
- Output: Magnetic Wireless: 5W, 7.5W, 10W, 15W
iWatch Wireless: 5W
AirPods: 2.5W
- Materials: Plastic/Aluminum
- Dimensions: 101mm X 77mm X 55mm



C031 3-in-1 Wireless Charging Stand

- Input: DC 9V/3A
- Output: Magnetic Wireless: 5W, 7.5W, 10W, 15W
iWatch Wireless: 5W
AirPods: 2.5W
- Materials: Acrylic/Plastic
- Dimensions: 148mm X 92mm X 127mm



C020 3-in-1 Folding Wireless Charging Pad

- Input: DC 9V/3A
- Output: Magnetic Wireless: 5W, 7.5W, 10W, 15W
iWatch Wireless: 5W
AirPods: 2.5W
- Materials: Plastic/Fabric
- Dimensions: 90mm X 83mm X 34mm

